| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|--|----------|---------------------|---------|------------------|
| L1 | 930 | direct adj mode | USPAT | OR | ON | 2006/02/22 14:22 |
| L2 | 36 | proxy adj mode | USPAT | OR | ON | 2006/02/22 14:36 |
| L3 | 0 | 1 and 2 | USPAT | OR | ON | 2006/02/22 14:22 |
| L4 | 479 | direct adj mode | US-PGPUB | OR | ON | 2006/02/22 14:22 |
| L5 | 100 | proxy adj mode | US-PGPUB | OR | ON | 2006/02/22 14:22 |
| L6 | 6 | 4 and 5 | US-PGPUB | OR | ON | 2006/02/22 14:22 |
| L7 | 263 | (proxy or gateway or intermediary) WITH decrypt\$ | USPAT | OR | ON | 2006/02/22 14:37 |
| L8 | 223 | negotiat\$ near session | USPAT | OR | ON | 2006/02/22 14:37 |
| L9 | 8 | 7 and 8 | USPAT | OR | ON | 2006/02/22 14:44 |
| L10 | 8 | 9 and direct\$ | USPAT | OR | ON | 2006/02/22 15:12 |
| L11 | 0 | "6484257.pn" | USPAT | OR | ON | 2006/02/22 15:12 |
| L12 | 0 | "6484257.pn." | USPAT | OR | ON | 2006/02/22 15:12 |
| L13 | 1 | "6484257".pn. | USPAT | OR | ON | 2006/02/22 15:13 |
| L14 | 1 | 13 and tcp | USPAT | OR | ON | 2006/02/22 15:13 |
| L15 | 1 | 13 and syn | USPAT | OR | ON | 2006/02/22 15:14 |
| L16 | 1 | 13 and ssl | USPAT | OR | ON | 2006/02/22 15:16 |
| L17 | 5 | network WITH ssl WITH accelerat\$ | USPAT | OR | ON | 2006/02/22 15:17 |
| S1 | 32 | 713/150.cor. | USPAT | OR | OFF | 2005/02/22 11:15 |
| S2 | 10 | 713/152.cor. | USPAT | OR | OFF | 2005/02/22 11:15 |
| S3 | 131 | 713/168.cor. | USPAT | OR | OFF | 2005/02/22 11:15 |
| S4 | 648 | 713/200.cor. | USPAT | OR | OFF | 2005/02/22 11:15 |
| S5 | 631 | 713/201.cor. | USPAT | OR | OFF | 2005/02/22 11:15 |
| S6 | 6 | freed near michael | USPAT | OR | OFF | 2005/02/22 11:16 |
| S7 | 0 | S6 and ssl | USPAT | OR | OFF | 2005/02/22 11:16 |
| S8 | 1 | S6 and encrypt\$ | USPAT | OR | OFF | 2005/02/22 11:16 |
| S9 | 0 | gannesen near elango | USPAT | OR | OFF | 2005/02/22 11:17 |
| S10 | 0 | patnala near praveen | USPAT | OR | OFF | 2005/02/22 17:13 |
| S11 | 2 | tcp same syn same ssl | USPAT | OR | ON | 2005/02/22 17:14 |
| S12 | 2 | S11 and encrypt\$ | USPAT | OR | ON | 2005/02/22 17:14 |
| S13 | 2 | S11 and unencrypt\$ | USPAT | OR | ON | 2005/02/22 17:21 |
| S14 | 2 | S12 and ssl | USPAT | OR | ON | 2005/02/22 17:21 |
| S15 | 2 | S12 and ssl with encrypt\$ | USPAT | OR | ON | 2005/02/22 17:23 |
| S16 | 2 | S12 and tcp | USPAT | OR | ON | 2005/02/22 17:23 |
| S17 | 2 | S12 and tcp with server | USPAT | OR | ON | 2005/02/23 10:30 |

| S18 | 2 | tcp same syn same ssl | USPAT | OR | ON | 2005/02/23 10:30 |
|-----|------|--|-------|----|----|------------------|
| S19 | 2 | S18 and encrypt\$ | USPAT | OR | ON | 2005/02/23 10:30 |
| S20 | 2 | S19 and tcp with server | USPAT | OR | ON | 2005/02/23 10:30 |
| S21 | 1 | S20 and database | USPAT | OR | ON | 2005/02/23 10:30 |
| S22 | 2 | S20 and initial\$ | USPAT | OR | ON | 2005/02/23 10:31 |
| S23 | 1 | S20 and vector | USPAT | OR | ON | 2005/02/23 10:31 |
| S24 | 1 | S20 and ack | USPAT | OR | ON | 2005/02/23 11:24 |
| S25 | 9741 | alter\$ WITH destination WITH source WITH IP address WITH server | USPAT | OR | ON | 2005/02/23 10:39 |
| S26 | 721 | alter\$ WITH destination WITH source WITH IP address WITH forward\$ WITH server | USPAT | OR | ON | 2005/02/23 10:39 |
| S27 | 26 | S26 same advantag\$ | USPAT | OR | ON | 2005/02/23 11:02 |
| S28 | 1 | "6389462".pn. | USPAT | OR | ON | 2005/02/23 11:02 |
| S29 | 1 | S28 and advantag\$ | USPAT | OR | ON | 2005/02/23 11:02 |
| S30 | 1876 | database WITH session | USPAT | OR | ON | 2005/02/23 11:31 |
| S31 | 0 | S30 same (session near1 ID) same (TCP near2 sequence) Same (initialization or vector) same ack | USPAT | OR | ON | 2005/02/23 11:25 |
| S32 | 0 | (session near1 ID) same (TCP near2 sequence) Same (initialization or vector) same ack | USPAT | OR | ON | 2005/02/23 11:25 |
| S33 | 0 | (session near1 ID) and (TCP near2 sequence) and (initialization or vector) and ack | USPAT | OR | ON | 2005/02/23 11:25 |
| S34 | 0 | database WITH session WITH packet WITH client WITH server | USPAT | OR | ON | 2005/02/23 11:33 |
| S35 | 147 | database WITH session WITH client WITH server | USPAT | OR | ON | 2005/02/23 11:32 |
| S36 | 12 | S35 same advantag\$ | USPAT | OR | ON | 2005/02/23 11:32 |
| S37 | 5 | (log or database) WITH session WITH packet WITH client WITH server | USPAT | OR | ON | 2005/02/23 14:47 |
| S38 | 5 | (log or database) WITH session WITH packet WITH client WITH server | USPAT | OR | ON | 2005/02/24 12:55 |
| S39 | 3 | S38 and tcp | USPAT | OR | ON | 2005/02/23 14:48 |
| S40 | 2 | S38 and ssl | USPAT | OR | ON | 2005/02/23 14:48 |
| S41 | 0 | S38 and ack | USPAT | OR | ON | 2005/02/23 14:48 |
| S42 | 128 | TCP near2 sequence near2 number | USPAT | OR | ON | 2005/02/23 14:58 |

| | | EAST Scare | | • | | |
|-----|-----|---|-------|----|----|------------------|
| S43 | 0 | S42 same (SSL near2 session near2 number) | USPAT | OR | ON | 2005/02/23 14:59 |
| S44 | 0 | S42 and (SSL near2 session near2 number) | USPAT | OR | ON | 2005/02/23 14:58 |
| S45 | 0 | S42 WITH advantag\$ | USPAT | OR | ON | 2005/02/23 14:59 |
| S46 | 7 | S42 WITH (log or database) | USPAT | OR | ON | 2005/02/23 15:01 |
| S47 | 8 | S42 same (log or database) | USPAT | OR | ON | 2005/02/23 15:00 |
| S48 | 11 | S42 WITH entry | USPAT | OR | ON | 2005/02/23 15:01 |
| S49 | 1 | "6052728".pn. | USPAT | OR | ON | 2005/02/23 15:23 |
| S50 | 0 | S49 and initial\$ | USPAT | OR | ON | 2005/02/23 15:10 |
| S51 | 1 | "6473425".pn. | USPAT | OR | ON | 2005/02/23 16:18 |
| S52 | 0 | S51 and advantag\$ | USPAT | OR | ON | 2005/02/23 16:18 |
| S53 | 6 | encrypt\$ WITH application WITH multiple WITH packet | USPAT | OR | ON | 2005/02/23 15:42 |
| S54 | 1 | "6681327".pn. | USPAT | OR | ON | 2005/02/23 15:37 |
| S55 | 1 | S54 and (encrypt\$ WITH application) | USPAT | OR | ON | 2005/02/23 17:37 |
| S56 | 0 | encrypt\$ WITH application WITH fragment\$ WITH packet | USPAT | OR | ON | 2005/02/23 15:46 |
| S57 | 7 | encrypt\$ WITH application WITH (multiple or many) WITH packet | USPAT | OR | ON | 2005/02/23 15:46 |
| S58 | 704 | application WITH (multiple or many) WITH packet | USPAT | OR | ON | 2005/02/23 15:46 |
| S59 | 66 | application WITH fragment\$ WITH packet | USPAT | OR | ON | 2005/02/23 15:48 |
| S60 | 0 | S59 same authenticat\$ | USPAT | OR | ON | 2005/02/23 15:48 |
| S61 | 39 | S59 and authenticat\$ | USPAT | OR | ON | 2005/02/23 15:50 |
| S62 | 0 | S59 and authenticat\$ with applicaiton | USPAT | OR | ON | 2005/02/23 15:50 |
| S63 | 34 | S59 and authenticat\$ with application | USPAT | OR | ON | 2005/02/23 15:50 |
| S64 | 1 | "6415329".pn. | USPAT | OR | ON | 2005/02/23 16:18 |
| S65 | 1 | S64 and advantag\$ | USPAT | OR | ON | 2005/02/23 16:54 |
| S66 | 0 | unbuffer\$ WITH decrypt\$ | USPAT | OR | ON | 2005/02/23 16:54 |
| S67 | 0 | nonbuffer\$ WITH decrypt\$ | USPAT | OR | ON | 2005/02/23 16:54 |
| S68 | 188 | buffer\$ near3 decrypt\$ | USPAT | OR | ON | 2005/02/23 17:26 |
| S69 | 1 | "5,925,126".pn. | USPAT | OR | ON | 2005/02/23 17:01 |
| S70 | 1 | "5,440,723".pn. | USPAT | OR | ON | 2005/02/23 17:01 |
| S71 | 21 | buffer\$ WITH without WITH decrypt\$ | USPAT | OR | ON | 2005/02/23 17:26 |

| | | LAST Scare | | | | |
|----------|-------|---|-------|----|----|------------------|
| S72 | 1 | S54 and buffer\$ | USPAT | OR | ON | 2005/02/23 17:38 |
| S73 | 1 | S54 and buffer\$ with encrypt\$ | USPAT | OR | ON | 2005/02/23 17:41 |
| S74 | 0 | SSL near2 acceleration | USPAT | OR | ON | 2005/02/23 17:42 |
| S75 | 12 | client near2 communication near2 engine | USPAT | OR | ON | 2005/02/23 17:43 |
| S76 | 0 | S75 WITH secure WITH open | USPAT | OR | ON | 2005/02/23 17:42 |
| S77 | 0 | proxy WITH secure WITH cleint WITH (open near network) | USPAT | OR | ON | 2005/02/23 17:44 |
| S78 | 1790 | proxy near1 server | USPAT | OR | ON | 2005/02/24 10:35 |
| S79 | 4 | client WITH forward\$ WITH decrypt\$ WITH application | USPAT | OR | ON | 2005/02/24 09:08 |
| S80 | 1 | S78 and S79 | USPAT | OR | ON | 2005/02/24 09:12 |
| S81 | 13 | client WITH forward\$ WITH decrypt\$ | USPAT | OR | ON | 2005/02/24 09:12 |
| S82 | 2 | S78 and S81 | USPAT | OR | ON | 2005/02/24 09:10 |
| S83 | 17467 | davis.in. | USPAT | OR | ON | 2005/02/24 09:10 |
| S84 | 2 | S83 and (middle near1 tier) | USPAT | OR | ON | 2005/02/24 09:10 |
| S85 | 1 | S84 and decrypt\$ | USPAT | OR | ON | 2005/02/24 09:10 |
| S86 | 1285 | client near3 forward\$ | USPAT | OR | ON | 2005/02/24 09:12 |
| S87 | 239 | S78 and S86 | USPAT | OR | ON | 2005/02/24 09:12 |
| S88 | 8 | (client near3 forward\$) with decrypt\$ | USPAT | OR | ON | 2005/02/24 09:49 |
| S89 | 1 | S78 and S88 | USPAT | OR | ON | 2005/02/24 09:13 |
| S90 | 290 | client WITH decrypt\$ WITH server | USPAT | OR | ON | 2005/02/24 09:13 |
| S91 | 54 | S78 and S90 | USPAT | OR | ON | 2005/02/24 09:49 |
| S92 | 9 | (client near3 forward\$) with (unencrypt\$ or decrypt\$) | USPAT | OR | ON | 2005/02/24 09:49 |
| S93 | 2 | S78 and S92 | USPAT | OR | ON | 2005/02/24 09:51 |
| S94 | 7 | client near2 (forward\$ or send\$) near2 decrypt\$ | USPAT | OR | ON | 2005/02/24 09:50 |
| S95 | · 1 | S78 and S94 | USPAT | OR | ON | 2005/02/24 09:58 |
| S96 | 133 | client near1 decrypt\$ | USPAT | OR | ON | 2005/02/24 09:57 |
| S97 | 155 | client near1 forward\$ near3 server | USPAT | OR | ON | 2005/02/24 09:58 |
| S98 | 1 | S96 same S97 | USPAT | OR | ON | 2005/02/24 09:58 |
| S99 | 0 | S78 and S98 | USPAT | OR | ON | 2005/02/24 09:58 |
| S10 0 | 553 | client near1 forward\$ | USPAT | OR | ON | 2005/02/24 09:58 |
| S10 1 | 120 | S78 and S100 | USPAT | OR | ON | 2005/02/24 10:06 |

| S10 2 | 9 | S100 same decrypt\$ | USPAT | OR | ON | 2005/02/24 10:05 | | |
|----------|-------|--|-------|----|----|------------------|--|--|
| S10 3 | 1 | S78 and S102 | USPAT | OR | ON | 2005/02/24 10:06 | | |
| S10 4 | 48674 | (proxy near1 server) or gateway or firewall or intermediary | USPAT | OR | ON | 2005/02/24 10:35 | | |
| S10 5 | 7 | S92 and S104 | USPAT | OR | ON | 2005/02/24 10:41 | | |
| S10 6 | 407 | server WITH receiv\$ WITH (unencrypt\$ or decrypt\$) | USPAT | OR | ON | 2005/02/24 10:41 | | |
| S10 7 | 179 | S106 and S104 | USPAT | OR | ON | 2005/02/24 10:41 | | |
| S10 8 | 5 | (log or database) WITH session WITH packet WITH client WITH server | USPAT | OR | ON | 2005/02/24 12:55 | | |
| S10 9 | 4 | S108 and S104 | USPAT | OR | ON | 2005/02/24 12:55 | | |
| S11 0 | 694 | (proxy or gateway or intermediary) WITH secure | USPAT | OR | ON | 2006/02/22 14:37 | | |
| S11 | 3 | S110 same (encrypt\$ near2 application) | USPAT | OR | ON | 2005/03/09 11:20 | | |
| S11 2 | 48358 | (proxy or gateway or intermediary) | USPAT | OR | ON | 2005/03/09 11:19 | | |
| S11 3 | 6 | S112 same (encrypt\$ near2 application near2 data) | USPAT | OR | ON | 2005/03/09 11:20 | | |
| S11 4 | 34 | proxy WITH negotiation | USPAT | OR | ON | 2005/03/10 09:05 | | |
| S11 5 | 0 | S114 WITH (modify or modified or modifies) | USPAT | OR | ON | 2005/03/10 09:01 | | |
| S11 6 | 62 | (database or log) WITH session WITH packet | USPAT | OR | ON | 2005/03/10 09:10 | | |
| S11 7 | 0 | S114 and S116 | USPAT | OR | ON | 2005/03/10 09:02 | | |
| S11 8 | 2 | S116 same proxy | USPAT | OR | ON | 2005/03/10 09:03 | | |
| S11 9 | 8 | S114 and encrypt\$ | USPAT | OR | ON | 2005/03/10 10:05 | | |
| S12 0 | 0 | S116 WITH advantag\$ | USPAT | OR | ON | 2005/03/10 09:10 | | |
| S12 | 1 | S116 same advantag\$ | USPAT | OR | ON | 2005/03/10 09:11 | | |
| S12 2 | 1 | "6584567".pn. | USPAT | OR | ON | 2005/03/10 09:51 | | |

| 1 | S122 and servers | USPAT | OR | OFF | 2005/03/10 09:26 | | |
|------|---|--|--|--|---|--|--|
| 0 | S122 and address | USPAT | OR | ON | 2005/03/10 10:29 | | |
| 1 | S122 and decrypt\$ | USPAT | OR | ON | 2005/03/10 10:07 | | |
| 1 | "6253337".pn. | USPAT | OR | ON | 2005/03/10 09:51 | | |
| 1 | S126 and log | USPAT | OR | ON | 2005/03/10 09:51 | | |
| 1 | S122 and (decrypt\$ WITH client) | USPAT | OR | ON | 2005/03/10 10:02 | | |
| 1 | S114 and (client near decrypt\$) | USPAT | OR . | ON | 2005/03/10 10:05 | | |
| 1 | S122 and encrypt\$ | USPAT | OR | ON | 2005/03/10 10:07 | | |
| 1 | S122 and tcp | USPAT | OR | ON | 2005/03/10 14:34 | | |
| 0 | buffer\$ WITH length WITH complet\$ WITH cipher | USPAT | OR | ON | 2005/03/10 10:40 | | |
| 550 | buffer\$ WITH length WITH complet\$ | USPAT | OR | ON | 2005/03/10 10:40 | | |
| 0 | buffer\$ WITH length WITH complet\$ WITH encrypt\$ | USPAT | OR | ON | 2005/03/10 10:41 | | |
| 27 | buffer\$ WITH length WITH encrypt\$ | USPAT | OR | ON | 2005/03/10 10:44 | | |
| 1 | buffer\$ WITH fixed WITH length WITH encrypt\$ | USPAT | OR | ON | 2005/03/10 10:45 | | |
| 1101 | buffer\$ WITH fixed WITH length | USPAT | OR | ON | 2005/03/10 10:45 | | |
| 3 | S137 same encrypt\$ | USPAT | OR | ON | 2005/03/10 10:45 | | |
| 155 | buffer\$ WITH fixed WITH length WITH block | USPAT | OR | ON | 2005/03/10 10:47 | | |
| 0 | S139 WITH advantag\$ | USPAT | OR | ON | 2005/03/10 10:46 | | |
| 8 | S139 same advantag\$ | USPAT | OR | ON | 2005/03/10 10:46 | | |
| 0 | buffer\$ WITH fixed WITH length WITH block WITH cipher | USPAT | OR | ON | 2005/03/10 10:47 | | |
| 56 | buffer\$ WITH complet\$ WITH length WITH block | USPAT | OR | ON | 2005/03/10 11:11 | | |
| 30 | authenticat\$ near decrypt\$ near data | USPAT | OR | ON | 2005/03/10 11:13 | | |
| | 0 1 1 1 1 1 1 1 1 0 550 0 27 1 1101 3 155 0 8 0 56 | 0 S122 and address 1 S122 and decrypt\$ 1 "6253337".pn. 1 S126 and log 1 S122 and (decrypt\$ WITH client) 1 S114 and (client near decrypt\$) 1 S122 and encrypt\$ 1 S122 and tcp 0 buffer\$ WITH length WITH complet\$ WITH client with complet\$ WITH client with complet\$ WITH length WITH complet\$ WITH length WITH complet\$ WITH length WITH encrypt\$ 27 buffer\$ WITH length WITH encrypt\$ 1 buffer\$ WITH length WITH encrypt\$ 1 buffer\$ WITH fixed WITH length with length with encrypt\$ 1 buffer\$ WITH fixed WITH length 3 S137 same encrypt\$ 155 buffer\$ WITH fixed WITH length with block 0 S139 WITH advantag\$ 8 S139 same advantag\$ 0 buffer\$ WITH fixed WITH length with block with cipher 56 buffer\$ WITH complet\$ WITH length with block with length with block authenticat\$ near decrypt\$ near | 0 S122 and address USPAT 1 S122 and decrypt\$ USPAT 1 "6253337".pn. USPAT 1 S126 and log USPAT 1 S122 and (decrypt\$ WITH client) USPAT 1 S122 and (decrypt\$ WITH client) USPAT 1 S124 and (client near decrypt\$) USPAT 1 S125 and tcp USPAT 1 S126 and tcp USPAT 1 S127 and tcp USPAT 2 S128 and tcp USPAT 3 S129 and tcp USPAT 4 USPAT 5 buffer\$ WITH length WITH USPAT 5 complet\$ WITH length WITH USPAT 6 buffer\$ WITH length WITH USPAT 7 complet\$ WITH length WITH USPAT 8 USPAT 1 buffer\$ WITH fixed WITH length USPAT 1 buffer\$ WITH fixed WITH length USPAT 1 buffer\$ WITH fixed WITH length USPAT 3 S137 same encrypt\$ USPAT 1 S139 WITH davantag\$ USPAT 8 S139 same advantag\$ USPAT 0 buffer\$ WITH fixed WITH length WISPAT 8 S139 same advantag\$ USPAT 1 USPAT 1 USPAT 1 USPAT 1 USPAT 2 USPAT 2 USPAT 3 USPAT 4 USPAT 4 USPAT 5 USPAT 5 USPAT 6 USPAT 7 USPAT 8 S139 same advantag\$ USPAT | 0 S122 and address USPAT OR 1 S122 and decrypt\$ USPAT OR 1 "6253337".pn. USPAT OR 1 S126 and log USPAT OR 1 S122 and (decrypt\$ WITH client) USPAT OR 1 S122 and (decrypt\$ WITH client) USPAT OR 1 S122 and (client near decrypt\$) USPAT OR 1 S122 and encrypt\$ USPAT OR 1 S122 and tcp USPAT OR 0 buffer\$ WITH length WITH complet\$ WITH client USPAT OR 0 buffer\$ WITH length WITH USPAT OR 0 buffer\$ WITH length WITH USPAT OR 0 buffer\$ WITH length WITH USPAT OR 1 buffer\$ WITH length WITH USPAT OR 1 buffer\$ WITH length WITH encrypt\$ 27 buffer\$ WITH length WITH encrypt\$ 10 buffer\$ WITH fixed WITH length USPAT OR 1 buffer\$ WITH fixed WITH length USPAT OR 1 buffer\$ WITH fixed WITH length USPAT OR 2 buffer\$ WITH fixed WITH length USPAT OR 3 S137 same encrypt\$ USPAT OR 4 S139 WITH advantag\$ USPAT OR 5 buffer\$ WITH fixed WITH length USPAT OR 6 S139 WITH advantag\$ USPAT OR 7 USPAT OR 8 S139 same advantag\$ USPAT OR 9 buffer\$ WITH fixed WITH length USPAT OR 9 buffer\$ WITH block WITH cipher USPAT OR 9 buffer\$ WITH block WITH length USPAT OR | 0 S122 and address USPAT OR ON 1 S122 and decrypt\$ USPAT OR ON 1 "6253337",pn. USPAT OR ON 1 S126 and log USPAT OR ON 1 S122 and (decrypt\$ WITH client) USPAT OR ON 1 S122 and (decrypt\$ WITH client) USPAT OR ON 1 S124 and (client near decrypt\$) USPAT OR ON 1 S122 and encrypt\$ USPAT OR ON 1 S122 and tcp USPAT OR ON 0 buffer\$ WITH length WITH USPAT OR ON 0 buffer\$ WITH length WITH USPAT OR ON 1 S122 and tcp USPAT OR ON 1 S124 and tcp USPAT OR ON 1 buffer\$ WITH length WITH USPAT OR ON 1 buffer\$ WITH length WITH USPAT OR ON 1 buffer\$ WITH length WITH encrypt\$ 27 buffer\$ WITH length WITH encrypt\$ 10 buffer\$ WITH fixed WITH length USPAT OR ON 1 buffer\$ WITH fixed WITH length USPAT OR ON 3 S137 same encrypt\$ USPAT OR ON 155 buffer\$ WITH fixed WITH length USPAT OR ON 155 buffer\$ WITH davantag\$ USPAT OR ON 8 S139 same advantag\$ USPAT OR ON 1 buffer\$ WITH fixed WITH length USPAT OR ON 1 buffer\$ WITH fixed WITH length USPAT OR ON 1 buffer\$ WITH fixed WITH length USPAT OR ON 1 buffer\$ WITH fixed WITH length USPAT OR ON 1 buffer\$ WITH fixed WITH length USPAT OR ON 2 buffer\$ WITH complet\$ WITH Length USPAT OR ON 3 USPAT OR ON 4 S139 same advantag\$ USPAT OR ON 5 buffer\$ WITH complet\$ WITH Length USPAT OR ON 5 buffer\$ WITH complet\$ WITH Length USPAT OR ON 5 buffer\$ WITH complet\$ WITH Length USPAT OR ON 5 buffer\$ WITH complet\$ WITH Length USPAT OR ON 5 buffer\$ WITH complet\$ WITH Length USPAT OR ON 5 buffer\$ WITH complet\$ WITH Length USPAT OR ON 5 buffer\$ WITH complet\$ WITH Length USPAT OR ON 5 buffer\$ WITH complet\$ WITH Length USPAT OR ON 5 buffer\$ WITH complet\$ WITH Length USPAT OR ON 5 buffer\$ WITH complet\$ WITH Length USPAT OR ON 5 buffer\$ WITH complet\$ WITH Length USPAT OR ON | | |

| S14 5 | 0 | S144 same segment\$ | USPAT | OR | ON | 2005/03/10 11:12 |
|----------|-------|--|-------|----|----|------------------|
| S14 6 | 0 | S144 same fragment\$ | USPAT | OR | ON | 2005/03/10 11:13 |
| S14 7 | 553 | (fragment\$ or segment\$) WITH encrypt\$ | USPAT | OR | ON | 2005/03/10 11:13 |
| S14 8 | 1 | S144 and S147 | USPAT | OR | ON | 2005/03/10 11:14 |
| S14 9 | 253 | S147 same decrypt\$ | USPAT | OR | ON | 2005/03/10 11:15 |
| S15 0 | 18 | S147 same (verif\$ WITH decrypt\$) | USPAT | OR | ON | 2005/03/10 11:28 |
| S15 | 2027 | (SSL or (secure near1 sockets near1 layer)) | USPAT | OR | ON | 2005/03/10 11:29 |
| S15 2 | 6 | S151 WITH accelerat\$ | USPAT | OR | ON | 2005/03/10 11:29 |
| S15 3 | 0 | S152 and proxy | USPAT | OR | ON | 2005/03/10 13:00 |
| S15 4 | 3 | server WITH secure with communication WITH (open near1 network) | USPAT | OR | ON | 2005/03/10 13:18 |
| S15 5 | 0 | client WITH open WITH communications WITH (secure near1 network) | USPAT | OR | ON | 2005/03/10 13:22 |
| S15 6 | 51 | SSL same vpn | USPAT | OR | ON | 2005/03/10 13:21 |
| S15 7 | 30 | client WITH (secure near1 network) WITH server | USPAT | OR | ON | 2005/03/10 14:05 |
| S15 8 | 0 | S157 same (open near1 session) | USPAT | OR | ON | 2005/03/10 13:36 |
| S15 9 | 3 | S157 same open | USPAT | OR | ON | 2005/03/10 13:55 |
| S16 0 | 0 | S159 and vpn | USPAT | OR | ON | 2005/03/10 13:37 |
| S16 1 | 17868 | open near1 channel | USPAT | OR | ON | 2005/03/10 13:55 |
| S16 2 | 0 | S161 WITH (secure near1 network) | USPAT | OR | ON | 2005/03/10 13:55 |
| S16 3 | 2 | S161 same (secure near1 network) | USPAT | OR | ON | 2005/03/10 13:55 |
| S16 4 | 207 | advantag\$ WITH (load near1 balancing) | USPAT | OR | ON | 2005/03/10 14:05 |
| S16 5 | 164 | S164 and network | USPAT | OR | ON | 2005/03/10 14:05 |

| 13 | S165 and SSL | USPAT | OR | ON | 2005/03/10 14:06 | | |
|------|---|--|---|--|---|--|--|
| 1 | "6820215".pn. | USPAT | OR | ON | 2005/03/10 14:07 | | |
| 1 | S167 and load | USPAT | OR | ON | 2005/03/10 14:07 | | |
| 29 | proxy WITH (modifies or modifying or modified) WITH address | USPAT | OR | ON | 2005/03/10 14:34 | | |
| 0 | S169 WITH advantag\$ | USPAT | OR | ON | 2005/03/10 14:34 | | |
| 4 | S169 same advantag\$ | USPAT | OR | ON | 2005/03/10 14:41 | | |
| 1 | "6,253,337".pn. | USPAT | OR | ON | 2005/03/10 14:41 | | |
| 0 | S172 and tcp and ssl | USPAT | OR | ON | 2005/03/10 14:42 | | |
| 0 | S172 and ssl | USPAT | OR | ON | 2005/03/10 14:42 | | |
| 0 | (direct near mode) and (proxy near mode) | USPAT | OR | ON | 2005/09/01 10:46 | | |
| 1211 | proxy WITH direct\$ | USPAT | OR | ON | 2005/09/01 10:47 | | |
| 64 | proxy WITH decrypt\$ | USPAT | OR | ON | 2005/09/01 10:47 | | |
| 37 | S176 and S177 | USPAT | OR | ON | 2005/09/01 10:47 | | |
| 2 | S178 and (negotiat\$ WITH secure) | USPAT | OR | ON | 2005/09/01 10:48 | | |
| 31 | S178 and secure | USPAT | OR | ON | 2005/09/01 10:57 | | |
| 22 | S178 and ssl | USPAT | OR | ON | 2005/09/01 10:57 | | |
| 22 | S180 and ssl | USPAT | OR | ON | 2005/09/01 10:59 | | |
| 1 | "6442687".pn. | USPAT | OR | ON | 2005/09/01 10:59 | | |
| 1 | S183 and decrypt\$ | USPAT | OR | ON | 2005/09/01 11:00 | | |
| 1 | S183 and encrypt\$ | USPAT | OR | ON | 2005/09/01 11:01 | | |
| 1 | S183 and ssl | USPAT | OR | ON | 2005/09/01 11:01 | | |
| 0 | S183 and tcp | USPAT | OR | ON | 2005/09/01 11:01 | | |
| | 1 29 0 4 1 0 0 1211 64 37 2 31 22 22 1 1 1 | 1 "6820215".pn. 1 S167 and load 29 proxy WITH (modifies or modifying or modified) WITH address 0 S169 WITH advantag\$ 4 S169 same advantag\$ 1 "6,253,337".pn. 0 S172 and tcp and ssl 0 (direct near mode) and (proxy near mode) 1211 proxy WITH direct\$ 64 proxy WITH decrypt\$ 37 S176 and S177 2 S178 and (negotiat\$ WITH secure) 31 S178 and ssl 22 S180 and ssl 1 "6442687".pn. 1 S183 and decrypt\$ 1 S183 and encrypt\$ 1 S183 and ssl | 1 "6820215".pn. USPAT 1 S167 and load USPAT 29 proxy WITH (modifies or modifying or modified) WITH address USPAT 0 S169 WITH advantag\$ USPAT 4 S169 same advantag\$ USPAT 1 "6,253,337".pn. USPAT 0 S172 and tcp and ssl USPAT 0 S172 and ssl USPAT 0 (direct near mode) and (proxy near mode) USPAT 1211 proxy WITH direct\$ USPAT 4 proxy WITH decrypt\$ USPAT 2 S176 and S177 USPAT 2 S178 and (negotiat\$ WITH secure) USPAT 31 S178 and secure USPAT 22 S180 and ssl USPAT 1 "6442687".pn. USPAT 1 S183 and decrypt\$ USPAT 1 S183 and encrypt\$ USPAT 1 S183 and ssl USPAT | 1 "6820215".pn. USPAT OR 1 S167 and load USPAT OR 29 proxy WITH (modifies or modifying or modified) WITH address USPAT OR 0 S169 WITH advantag\$ USPAT OR 4 S169 same advantag\$ USPAT OR 1 "6,253,337".pn. USPAT OR 0 S172 and tcp and ssl USPAT OR 0 S172 and ssl USPAT OR 0 (direct near mode) and (proxy near mode) USPAT OR 1211 proxy WITH direct\$ USPAT OR 4 proxy WITH decrypt\$ USPAT OR 37 S176 and S177 USPAT OR 2 S178 and secure USPAT OR 31 S178 and ssl USPAT OR 22 S180 and ssl USPAT OR 1 "6442687".pn. USPAT OR 1 S183 and encrypt\$ USPAT OR 1 S183 and encrypt\$ USPAT OR | 1 "6820215".pn. USPAT OR ON 1 S167 and load USPAT OR ON 29 proxy WITH (modifies or modifying or modified) WITH address 0 S169 WITH advantag\$ USPAT OR ON 4 S169 same advantag\$ USPAT OR ON 1 "6,253,337".pn. USPAT OR ON 0 S172 and tcp and ssl USPAT OR ON 0 S172 and ssl USPAT OR ON 0 (direct near mode) and (proxy near mode) 1211 proxy WITH direct\$ USPAT OR ON 64 proxy WITH decrypt\$ USPAT OR ON 2 S176 and S177 USPAT OR ON 2 S178 and secure USPAT OR ON 1 S178 and secure USPAT OR ON 2 S180 and ssl USPAT OR ON 1 S183 and decrypt\$ USPAT OR ON 1 S183 and ssl USPAT OR ON | | |